

Bayer Environmental Science



## BAYTICOL<sup>®</sup> AEROSOL

REG. NO. L5203 Act No. 36 of 1947  
Namibian Reg. No. N-AR 0005

REG. NR. L5203 Wet Nr. 36 van 1947  
Namibiese Reg. Nr. N-AR 0005

AEROSOL INSECTICIDE FABRIC SPRAY  
THAT KILLS TICKS AND PREVENTS TICK  
BITES IN HUMANS

BOSLUISDODENDE KLEDINGSTOFSPROEI.  
DOOD BOSLUISE EN VOORKOM  
BOSLUISBYTE BY MENSE

### ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:

Flumethrin (pyrethroid)

2 g/kg

Flumetrin (piretroïed)

NET CONTENTS: / NETTO INHOUD: 240 ml

### REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.  
Reg. No. / Nr. 1968/011192/07  
P.O. Box / Posbus 143  
ISANDO 1600  
SOUTH AFRICA / SUID-AFRIKA  
TEL: (011) 921 5911

Batch no: / Lotnommer:

Date of manufacture: / Datum vervaardig:

BAYTICOL<sup>®</sup> is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.

UN. NO. / VN. NR. 1950



**Used as a fabric spray:** Kills ticks in contact with sprayed fabric surfaces, preventing tick bites and thus transmission of tick-borne diseases such as tick-bite and Congo fever in humans

**WARNINGS:**

Keep out of reach of children and animals.

May cause irritation of the skin, eyes, mucous membranes and skin sensitization.

Flammable – do not spray near open flame or onto hot surfaces.

Container is pressurized. Do not expose to direct sunlight or heat exceeding 50 °C.

Do not puncture or incinerate can.

Do not spray directly onto skin, face or mucous membranes.

Do not use on plants.

Do not use in restricted space.

Persons with history of hypersensitivity to chemicals should discontinue spraying on experiencing any sign of irritation.

Predetermine fabric compatibility of aerosol by spraying small area thereof.

May stain plastic material and highly polished surfaces.

**PRECAUTIONS:**

Do not use in the presence of persons with known sensitivity to pyrethroids.

In the case of signs of sensitivity, obtain medical advice.

Prevent contamination of food, feedstuffs, drinking water and utensils.

Avoid excessive inhalation and skin contact.

Remove pets and cover aquaria.

**DIRECTIONS FOR USE:** USE ONLY AS DIRECTED.

Shake well before use.

**CLOTHES TREATMENT:** Lightly treat fabric with an overall barrier spray from a distance of approximately 15-20 cm. Preferably treat clothes before dressing and prior to entering tick-infested areas, e.g. treat socks, trouser legs, waist, shirt cuffs and collar. Re-apply spray either after 2<sup>nd</sup> – 3<sup>rd</sup> wash or once every 3 weeks in case of clothes that have not been washed. Ticks which come in direct contact with **Bayticol<sup>®</sup> Aerosol** will not bite and eventually die off.

**BAYTICOL<sup>®</sup>** is a registered trademark of Bayer.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

**As 'n kledingstofsproei:** Dood bosluise wat in kontak met bespuite kledingstofoppervlakke kom en voorkom dus bosluisbyte en sodoende oordraging van bosluisgedraagde siektes soos bosluiskoors en Kongokoors by mense.

### **WAARSKUWINGS:**

Hou buite bereik van kinders en diere.

Kan vel, oë en slymvliese irriteer en vel sensitiseer.

Vlambaar – moet nie naby 'n oop vlam of op warm oppervlakke spuit nie.

Houer is onder druk. Moet nie blootstel aan direkte sonlig of hitte wat 50 °C oorskry nie. Moet nie houer prik of verbrand nie.

Moet nie direk op vel, gesig of slymvliese spuit nie.

Moet nie op plante gebruik nie.

Moet nie in beperkte vertrek gebruik nie.

Persone met 'n geskiedenis van hipersensitiwiteit vir chemikalieë moet bespuiting onmiddellik staak by enige teken van irritasie.

Spuit op klein oppervlak vooraf om vas te stel of kledingstof sproeibestand is.

Mag plastiese materiaal of hoogs gepoleerde oppervlakke vlek.

### **VOORSORGMAATREËLS:**

Moet nie in die teenwoordigheid van persone wie sensitief is vir piretroïede, gebruik nie.

In die geval van tekens van sensitiwiteit, kry mediese hulp.

Vermy besmetting van voedsel, voer, drinkwater en eetgerei.

Vermy oormatige inaseming en kontak met vel.

Verwyder troeteldiere en bedek akwaria.

### **GEBRUIKSAANWYSINGS:** GEBRUIK SLEGS SOOS AANGEDUI.

Skud goed voor gebruik.

**KLEREBEHANDELING:** Behandel klerasie liggies met 'n algehele versperringsproei op 'n afstand van ongeveer 15-20 cm. Behandel klerasie verkieslik voordat dit aangetrek word en voordat bosluisbesmette gebiede betree word, bv. behandel kouse, broekspype, middelband, mouboordjies en hempskrae. Wend sproei aan na 2<sup>de</sup> of 3<sup>de</sup> was, of eenmaal elke 3 weke in geval van klere wat nog nie gewas is nie. Bosluise wat in aanraking kom met **Bayticol® Aerosol** sal nie byt nie en uiteindelik doodgaan.

**BAYTICOL®** is 'n geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopieëring van die etiket is verbode.